UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/523,023	11/07/2005	Gordon Cook	4140-0112PUS1	7457
	7590 03/26/201 ART KOLASCH & BI	EXAMINER		
PO BOX 747		BROWN, MICHAEL A		
FALLS CHURCH, VA 22040-0747		ART UNIT	PAPER NUMBER	
		3772		
			NOTIFICATION DATE	DELIVERY MODE
			03/26/2010	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

mailroom@bskb.com

Supplemental						
Notice of Allowability						

Application No.	Applicant(s)	
10/523,023	COOK ET AL.	
Examiner	Art Unit	
MICHAEL BROWN	3772	

notice of raionability	Examiner	Art Offic				
	MICHAEL BROWN	3772				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included nerewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.						
1. X This communication is responsive to the BAPI decision filed on 8-6-09.						
2. ☑ The allowed claim(s) is/are <u>1,6 and 10</u> .						
 Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☒ None of the: 1. ☒ Certified copies of the priority documents have been received. 2. ☐ Certified copies of the priority documents have been received in Application No 						
3. Copies of the certified copies of the priority do	cuments have been received in this r	national stage applica	tion from the			
International Bureau (PCT Rule 17.2(a)).						
* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.						
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 			OTICE OF			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.						
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached						
1) ☐ hereto or 2) ☐ to Paper No./Mail Date						
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date						
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).						
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.						
Attachment(s)						
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	* *				
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Dat					
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. 🛛 Examiner's Amendn					
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Stateme	ent of Reasons for Allo	wance			
	9.					
/Michael Brown/						
Primary Examiner, Art Unit 3772						

Application/Control Number: 10/523,023 Page 2

Art Unit: 3772

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Michael Monaco on October 9, 2009.

The application has been amended as follows: IN THE CLAIMS:

In claim 1, line 10, after "treated;", -- wherein the internal component is a gel" has been inserted.

In claim 6, line 1, "The device as claimed claim 5" has been changed to read --

■ A device for use in applying impulse therapy to a limb of the human body comprising an inflatable bladder having volume reducing internal component means for dissipating the flow of fluid into the bladder with accompanying reduction in fluid flow rates and noise generated by the fluid flow during pressurization of the bladder_in a timed sequence of pressure hold and pressure release; means for providing intermittent pulses of fluid to the bladder in accordance with the pre-determined timed sequence of pressure hold and pressure release and means for securing the bladder around the limb of the human body to apply the bladder to the area to be treated – has been inserted.

Application/Control Number: 10/523,023 Page 3

Art Unit: 3772

■ In claim 10, line 9, after "treated;" – wherein said means for controlling fluid flow rates and noise level during pressurization of the inflatable chamber by varying the internal volume of the inflatable chamber is gel or liquid— has been inserted.

- Claims 2-3, 5, 7, 9 and 11 have been cancelled.
- /Michael Brown/
- Primary Examiner, Art Unit 3772

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MICHAEL BROWN whose telephone number is (571)272-4972. The examiner can normally be reached on 5:30 am-4:00 pm Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patricia Bianco can be reached on 571-272-4940. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/523,023 Page 4

Art Unit: 3772

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

- /Michael Brown/
- Primary Examiner, Art Unit 3772